

AMENDMENT TO THE CLAIMS

Please **AMEND** claims 1, 11 and 13 as follows.

A copy of all pending claims and a status of the claims is provided below.

1. (currently amended) A brake control apparatus comprising:
 - a brake pressure controlling unit including normally-open-type electromagnetic valves for preventing a fluid pressure transmitted from a master cylinder to wheel brakes when the valves close; and
 - a control unit executing an anti-lock brake control resolving a lock tendency of the wheels by controlling the operation of the brake pressure controlling unit according to a result of judgment of the lock tendency of wheels, and simultaneously executing a brake force distribution control distributing front and rear brake forces by controlling the normally-open-type electromagnetic valves in correspondence with rear wheels to close in such a manner that the normally-open-type electromagnetic valves are opened when the brake force distribution control is finished;
 - wherein the control unit finishes the brake force distribution control as a vehicle stops and after a frontward force applied to lead-applied-ahead of the vehicle is released and prior to a stop of the vehicle.
2. (previously presented) A brake control apparatus as set forth in Claim 1, wherein the control unit finishes the brake force distribution control after a predetermined time elapsed from when a wheel speed is reduced to be equal to or smaller than a predetermined wheel speed just before the vehicle stops.
3. (previously presented) A brake control apparatus as set forth in Claim 1, wherein the control unit finishes the brake force distribution control after a predetermined time

elapsed from when an estimated vehicle speed is reduced to be equal to or smaller than a predetermined estimated vehicle speed just before the vehicle stops.

4. (previously presented) A brake control apparatus as set forth in Claim 1, wherein the control unit finishes the brake force distribution control after an estimated deceleration is reduced to be equal to or smaller than a predetermined deceleration from when a wheel speed is reduced to be equal to or smaller than a predetermined wheel speed just before the vehicle stops.

5. (previously presented) A brake control apparatus as set forth in Claim 1, wherein the control unit finishes the brake force distribution control after an estimated deceleration is reduced to be equal to or smaller than a predetermined deceleration from when an estimated vehicle speed is reduced to be equal to or smaller than a predetermined estimated vehicle speed just before the vehicle stops.

6. (previously presented) A brake control apparatus as set forth in Claim 2, wherein the predetermined time is 300msec.

7. (previously presented) A brake control apparatus as set forth in Claim 3, wherein the predetermined time is 300msec.

8. (previously presented) A brake control apparatus as set forth in Claim 2, wherein the predetermined wheel speed is 2km/h.

9. (previously presented) A brake control apparatus as set forth in Claim 4, wherein the predetermined wheel speed is 2km/h.

10. (previously presented) A brake control apparatus as set forth in Claim 1, wherein the brake pressure control unit further including:

a normally-open-type electromagnetic valve in correspondence with a wheel brake;

a check valve connected in parallel with the normally-open-type electromagnetic valve;

a normally-close-type electromagnetic valve in correspondence with the wheel brake; and

a reservoir in correspondence with an output fluid path.

11. (currently amended) A brake control apparatus as set forth in Claim 1, wherein the control unit finishes the brake force distribution control after a vehicle stops and [[a]] the frontward force applied to load-applied ahead of the vehicle is released and prior to a complete stop.

12. (previously presented) A brake control apparatus as set forth in Claim 1, wherein the control unit finishes the brake force distribution control at a swing back time.

13. (currently amended) A brake control apparatus comprising:

a brake pressure controlling unit including:

normally-open-type electromagnetic valves for preventing a fluid pressure transmitted from a master cylinder to wheel brakes when the valves close; and

a control unit executing an anti-lock brake control resolving a lock tendency of wheels by controlling operation of the brake pressure controlling unit according to a result of judgment of a lock tendency of the wheels, and executing a brake force distribution control distributing front and rear brake forces by controlling the normally-open-type electromagnetic valves in correspondence with rear wheels to close

Serial No.: 10/756,392
Attorney Docket No. P27376

--5--

in such a manner that the normally-open-type electromagnetic valves are opened when the brake force distribution control is finished,

wherein the control unit finishes the brake force distribution control as a vehicle stops and ~~[[a]]~~ after a frontward force applied to load applied ahead of the vehicle is released and prior to a stop of the vehicle.